

( )

792,200

7


8

APP

APP

50

1		9 40	1
2		1 2 3 1.5m*2m 5mm 4	1
3		+ + + + 23 1.2mm	1

		<p>1400*800*900mm</p> <p>1</p> <p>1 1 2</p> <p>1 8 20-20KHZ : OK</p> <p>:8 50mm 1 2</p> <p>:20Hz-20KHz :100W( 200W)</p> <p>:4 :90 :10 KG</p> <p>2 150W*2</p> <p>:20Hz-20KHz</p> <p>3</p> <p>U</p> <p>-</p> <p>80</p> <p>50-60</p> <p>4</p> <p>450mm 830mm 500mm</p>	
4		<p>, 1.2mm +</p> <p>PP+</p> <p>82*50*43cm</p>	240
5		<p>* 90*180cm</p> <p>H</p> <p>21.0kg</p>	5

6



		10.0kg	
--	--	--------	--

65 LED

mm:U 1428.48 H 803.52 V

1920 H 1080 V 350cd/m2

5000:1

178

		PC			
		PC			
		CPU	I3		
			GT730M		
			10/100/1000M		
		Wi-Fi	802.11b/g/n		
			DDR3 2G/4G/8G		
			SATA 500G/1T		
		USB2.0	6 2	USB3.0	2
		1	VGA 1	HDMI 1	Mini
		DisplayPort	1	1	1
			1		
			110-240V~ 50/60Hz	250W	
		0.5W			
			1521 943 97 mm		
			1710 245 1167mm		
			45kg	58kg	
		ST01			
		AC	3	3	
		1	7 1	1	1
			1		
			0 40		
			WiFi		
		PC			
		PC		PC	
		1		PC	

		<p>2 PC</p> <p>3 PPT PC PPT</p> <p>4 PC PC</p> <p>5 PC</p>	
10		<p>CPU 6M CPU</p> <p>3.5G</p> <p>4G_DDR4_1600</p> <p>HD Audio 5.1</p> <p>1T_7200RPM_SATA3</p> <p>10/100/1000M DVD</p> <p>1 PCI-E*16 2 PCI-E*1</p> <p>19.5 ,</p> <p>PS2</p> <p>6 USB 2 USB3.0 PS/2</p> <p>VGA</p> <p>220V /180W</p> <p>MATX</p>	22

		15L IO	
11		1200mm*650mm*750mm	26
12		H1500*W900*D400 mm 0.8mm	5
13		12U ANSI/EIA RS-310-D IEC297-2 DIN41491 PART1 DIN41494 PART7 GB/T3047.2-92 ETSI  SPCC 1.5mm 1.2mm  60KG  IP20  635mm 450mm 600mm	4
14		2 2 1 1 2.1 5.1 3 100W/35	1

15		8 4 2  /3	1
16		MIC 2  300 15dBuV (80Db S/N) 10-35dBuV 300	2
17		1 800*500*1100 2 3 4 0.8mm , 5 , 6 PVC 2mm	1
18		120*50*75cm	60
19	+	2.6 +5	1



20		85g			2
		90mm	2	5	

21

		<p> -10 ~40 , 95%( )  DC12V 25% / PoE(802.3af) 5.5W MAX (ICR  7.5W) EXIR 20-30  1 Line in / 1  / 30  2 1  2U  2 HDMI 2 VGA, HDMI+VGA  8 6TB  2  2 USB2.0 1 USB3.0  1 eSATA  IO 16 4 8  320M  64 H.264 H.265  8 1080P  H.265 H.264  Smart 2.0/ /ANR/ / / /  / / / / /  /  3 3.5 7  4TB/64MB(6Gb/ NCQ)/5900RPM/SATA  4 1 </p>	
27		<p> 1 46 4  1024 (W) 578(H)mm  1920 1080 </p>	1

		<p>1018.08(H)X 572.67(V)</p> <p>97%</p> <p>500 cd/</p> <p>3000 1</p> <p>8bit 16.7M</p> <p>178</p> <p>3.8mm( )</p> <p>VGA DVI HDMI</p> <p>NTSC PAL 480P 576P 720P 1080I 1080P</p> <p>RS232</p> <p>M N</p> <p>2 2X2 1</p> <p>3 1</p> <p>PC+FPGA 4 HDMI 4 HDMI</p> <p>4</p> <p>3C</p> <p>4 1</p>	
28		36	1
29		10 1200*800mm	1
30			1